









prado

invisible home technology
prado.com


drawing name	IC box + plaster frame 3-1/2″ high + bar hanger kit
dimensions	inches & mm
sheet size	US letter
scale	1:4
bar hanger kit	included

© Prado America LLC


This drawing is property of prado america llc and can not be copied, neither shown to third party without written permission.



B-B



A-A



prado

invisible home technology
prado.com

drawing name	IC box + plaster frame 3-1/2″ high + bar hanger kit
dimensions	inches & mm
sheet size	US letter
scale	1:4
bar hanger kit	included

© Prado America LLC

This drawing is property of prado america llc and can not be copied, neither shown to third party without written permission.

IC box + plaster frame 3-1/2″ high

order number

	product code
IC box + plaster frame 3-1/2″ high - airtight	9000-0110

specifications

new construction airight

for use in insulated ceiling

UL listed

compatible products

acrobat mini long / short

acrobat mini trim long / short

acrobat surface mini long / short

acrojack mini long / short

trimless spot long / short

trim spot long / short

trimless spot mini long / short

trim spot mini long / short


trimless spot adjustable


trim spot adjustable

© Prado America LLC We reserve the right to change technical details without notice if the product's appearance or functionality is unaffected.

IC box + plaster frame 3-1/2″ high

illustration driver matrix





local driver
above ceiling access required for both installation and service

remote driver	
max driver distance	
AWG18	40 ft
AWG16	65 ft
AWG14	100 ft
AWG12	160 ft

© Prado America LLC We reserve the right to change technical details without notice if the product's appearance or functionality is unaffected.