


prado	prado.com
unifit series	2
lighting	7
pradovent	9
accessories	10


unifit series

unifit outlet | single hardwired



specs


installation



• 1-1/2" •


application	drywall, wood and stone	
cabling	comes with screw terminals	comes with a self-contained cap
electrical	15A - 125V (wired)	15/20A - 125V (wireless)
cut-out	1-3/8" hole	
panel thickness	1/4 to 1-3/8" (adjustable lugs)	
coverplate	required, not included	
price	\$79	

unifit outlet | single corded



specs


installation



• 1-1/2" •


application	drywall, wood and stone	
cabling	comes with a 5ft. cable and a NEMA 5-15 plug	
electrical	15A - 125V (wired)	15/20A - 125V (wireless)
cut-out	1-3/8" hole	
panel thickness	1/4 to 1-3/8" (adjustable lugs)	
coverplate	required, not included	
price	\$99	

unifit | single cover plate



specs

installation




• 1-1/2" •

compatibility	unifit corded	unifit hardwired
finish	black	white
	clay	sand
variants	15A - 20A	
price	\$9	


unifit series

unifit outlet | duplex hardwired



specs

installation




2-7/8"

1-5/16"


application	drywall, wood and stone	
wire thickness	15A - 14AWG	20A - 12AWG
electrical	NEMA 5-15/20R 125V	
cut-out	see installation instructions	
panel thickness	1/4 to 1-3/8" (adjustable lugs)	
coverplate	required, not included	
price	\$109	

unifit outlet | duplex corded



specs

installation




2-7/8"

1-5/16"


application	drywall, wood and stone	
wire thickness	15A - 14AWG	20A - 12AWG
electrical	NEMA 5-15/20R 125V	
cut-out	see installation instructions	
panel thickness	1/4 to 1-3/8" (adjustable lugs)	
coverplate	required, not included	
price	\$109	

unifit outlet | duplex cover plate



specs

installation




2-7/8"

1-5/16"

compatibility	unifit corded	unifit hardwired
finish	black	white
	clay	sand
variants	15A - 20A	
price	\$9	


unifit keystones

keystone | empty holder



application	drywall, wood and stone	
cut-out	1-3/8" hole	
panel thickness	1/4 to 1-3/8" (adjustable lugs)	
coverplate	required, not included	
keystone	not included	
price	\$69	


keystone | cover plate universal



compatibility	unifit empty keystone holder	
finish	black	white
	clay	sand
variant	universal	
keystone	not included	
price	\$9	


small trim rings

small trim ring | single




application	drywall, wood and stone			
thickness	5/32"			
compatibility	unifit outlet	unifit keystone		
finish	brushed steel	brushed brass		
	brushed bronze	brushed gunmetal		
variants	single	double	triple	duplex
price	\$29	\$49	\$69	\$49


small trim ring | double



small trim ring | triple



small trim ring | duplex




samples

unifit outlet | sample



sample	non-functioning unifit sample
	for demo purpose only
cabling	hardwired
price	\$9

unifit outlet | cover plate color set



sample	cover plates unifit outlet
price	\$9

small trim ring | color set



sample	small trim ring unifit	
finish	brushed steel	brushed brass
	brushed bronze	brushed gunmetal
variants	single	
price	\$69	

lighting

acrojack mini | long




finish	alu		brass	
colour temperature	2700K		3000K	
beam angle	10°	20°	40°	60°
output	up to 1000 lumen			
other	CRI 90+ 97		IP20	
price	\$469 - \$689			

acrojack mini | short




finish	alu		brass	
colour temperature	2700K		3000K	
beam angle	10°	20°	40°	60°
output	up to 750 lumen			
other	CRI 90+ 97		IP20	
price	\$469 - \$689			

acrobat mini | long



finish	alu		brass	
colour temperature	2700K		3000K	
beam angle	10°	20°	40°	60°
output	up to 1000 lumen			
other	CRI 90+ 97		IP20	
price	\$469 - \$689			



acrobat mini | short



finish	alu		brass	
colour temperature	2700K		3000K	
beam angle	10°	20°	40°	60°
output	up to 750 lumen			
other	CRI 90+ 97		IP20	
price	\$689			



lighting

trimless spot | long



finish	alu		brass	
colour temperature	2700K		3000K	
beam angle	15°	25°	40°	60°
output	up to 1055 lumen			
other	CRI 90+ 97		IP65	
price	\$217 - \$322			



trimless spot | short



finish	alu		brass	
colour temperature	2700K		3000K	
beam angle	40°	60°		
output	up to 850 lumen			
other	CRI 90+ 97		IP65	
price	\$217 - \$322			



pradovent

pradovent | 4-1/4"



type	supply	exhaust
air flow	maximum 30 cfm (50m³/h)	
compatibility	fits into every 5" duct	
lock mechanism	integrated	
adjustment	32 steps	
color	white, paintable with synthetic primer	
price	\$139	


pradovent mud ring | 4-1/4"



kit size	7-1/2"
cut-out size	5"
compatibility	fits into every 5" duct
location	ceiling indoor
weight	0.7 lbs
price	\$39


accessories

mud ring 2-1/4"




location	ceiling indoor
price	\$29

adjustable mud ring 2-1/4"




location	ceiling indoor
adjustability	min. 1/7" (3.6mm) - max. 3/4" (20mm)
price	\$39

clt csc ring 2-1/4"



location	ceiling indoor
price	\$39


mud ring 1-1/2"



location	ceiling indoor
price	\$29

accessories

adjustable mud ring 1-1/2"




location	ceiling indoor
adjustability	min. 1/7" (3.6mm) - max. 3/4" (20mm)
price	\$39

clt csc ring 1-1/2"



location	ceiling indoor
price	\$39

mud ring jack



location	ceiling indoor - non-sloped only
price	\$69