

|               |   |
|---------------|---|
| unifit series | 2 |
|---------------|---|

|                    |   |
|--------------------|---|
| unifit accessories | 5 |
|--------------------|---|

|                |   |
|----------------|---|
| unifit samples | 8 |
|----------------|---|


|          |   |
|----------|---|
| lighting | 9 |
|----------|---|

|                      |    |
|----------------------|----|
| lighting accessories | 14 |
|----------------------|----|

|           |    |
|-----------|----|
| pradovent | 16 |
|-----------|----|


# unifit outlets

unifit outlet single | hardwired / selfcontained




|                 |                                 |                                        |
|-----------------|---------------------------------|----------------------------------------|
| application     | drywall, wood and stone         |                                        |
| cabling         | comes with screw terminals      | comes with optional self contained cap |
| electrical      | 15A - 125V                      | 20A - 125V                             |
| cut-out         | 1-3/8" hole                     |                                        |
| panel thickness | 1/4 to 1-3/8" (adjustable lugs) |                                        |
| cover plate     | required, not included          |                                        |
| price           | \$79                            |                                        |

unifit outlet single | corded



|                 |                                   |  |
|-----------------|-----------------------------------|--|
| application     | furniture, wood and stone         |  |
| cabling         | incl. 5ft. cable + NEMA 5-15 plug |  |
| electrical      | 15A - 125V                        |  |
| cut-out         | 1-3/8" hole                       |  |
| panel thickness | 1/4 to 1-3/8" (adjustable lugs)   |  |
| cover plate     | required, not included            |  |
| price           | \$79                              |  |


unifit single | cover plate



|               |                                  |          |      |      |
|---------------|----------------------------------|----------|------|------|
| compatibility | unifit corded                    |          |      |      |
|               | unifit hardwired / selfcontained |          |      |      |
| finish        | black                            | white    | sand | clay |
|               | graphite                         | espresso |      |      |
| variants      | 15A                              |          | 20A  |      |
| price         | \$9                              |          |      |      |


# unifit outlets

unifit outlet duplex | hardwired / selfcontained




|                 |                                 |                                        |
|-----------------|---------------------------------|----------------------------------------|
| application     | drywall, wood and stone         |                                        |
| cabling         | comes with screw terminals      | comes with optional self contained cap |
| electrical      | 15A - 125V                      | 20A - 125V                             |
| cut-out         | see installation instructions   |                                        |
| panel thickness | 1/4 to 1-3/8" (adjustable lugs) |                                        |
| cover plate     | required, not included          |                                        |
| price           | \$99                            |                                        |

unifit outlet duplex | corded



|                 |                                 |  |
|-----------------|---------------------------------|--|
| application     | furniture, wood and stone       |  |
| cord            | 5ft. or 10ft., not included     |  |
| electrical      | NEMA 5-15/20R 125V              |  |
| cut-out         | see installation instructions   |  |
| panel thickness | 1/4 to 1-3/8" (adjustable lugs) |  |
| cover plate     | required, not included          |  |
| price           | \$99 - \$128                    |  |


unifit outlet duplex | cover plate



|               |                                  |          |      |      |
|---------------|----------------------------------|----------|------|------|
| compatibility | unifit corded                    |          |      |      |
|               | unifit hardwired / selfcontained |          |      |      |
| finish        | black                            | white    | sand | clay |
|               | graphite                         | espresso |      |      |
| variants      | 15A                              |          | 20A  |      |
| price         | \$9                              |          |      |      |


# unifit keystones

unifit keystone | empty holder



|                 |                                 |  |
|-----------------|---------------------------------|--|
| application     | drywall, wood and stone         |  |
| cut-out         | 1-3/8" hole                     |  |
| panel thickness | 1/4 to 1-3/8" (adjustable lugs) |  |
| cover plate     | required, not included          |  |
| keystone        | not included                    |  |
| price           | \$69                            |  |


unifit keystone | cover plate



|               |                              |       |
|---------------|------------------------------|-------|
| compatibility | unifit empty keystone holder |       |
| finish        | black                        | white |
|               | clay                         | sand  |
| keystone      | not included                 |       |
| price         | \$9                          |       |


unifit accessories

small trim ring | single





|               |                         |        |                  |        |
|---------------|-------------------------|--------|------------------|--------|
| application   | drywall, wood and stone |        |                  |        |
| thickness     | 5/32"                   |        |                  |        |
| compatibility | unifit outlet           |        | unifit keystone  |        |
| finish        | brushed steel           |        | brushed brass    |        |
|               | brushed bronze          |        | brushed gunmetal |        |
| variants      | single                  | double | triple           | duplex |
| price         | \$29                    | \$49   | \$69             | \$49   |



small trim ring | double



small trim ring | triple




small trim ring | duplex




unifit accessories

back box cover plate | single, 1 gang




|               |                   |
|---------------|-------------------|
| compatibility | 1-gang back boxes |
| location      | indoor            |
| price         | \$9               |

back box cover plate | double, 2 gang




|               |                   |
|---------------|-------------------|
| compatibility | 2-gang back boxes |
| location      | indoor            |
| price         | \$19              |

back box cover plate | duplex, 1 gang



|               |                   |
|---------------|-------------------|
| compatibility | 1-gang back boxes |
| location      | indoor            |
| price         | \$9               |

back box cover plate | duplex, 2 gang



|               |                   |
|---------------|-------------------|
| compatibility | 2-gang back boxes |
| location      | indoor            |
| price         | \$19              |

# unifit accessories

power cord | 5ft.



| 10ft.



|             |                                                 |                   |
|-------------|-------------------------------------------------|-------------------|
| application | furniture and millwork                          |                   |
| features a  | NEMA 5-15 plug                                  | 14 AWG conductors |
| use with    | 15A unifit outlet single/duplex   selfcontained |                   |
| variants    | 5ft.                                            | 10ft.             |
| price       | \$19                                            | \$29              |


# unifit samples

unifit outlet | sample



|         |                               |        |
|---------|-------------------------------|--------|
| sample  | non-functioning unifit sample |        |
|         | for demo purpose only         |        |
| cabling | hardwired                     | corded |
| price   | \$9                           |        |

unifit outlet | cover plate color set



|        |                                   |       |      |      |
|--------|-----------------------------------|-------|------|------|
| sample | cover plates unifit outlet single |       |      |      |
| finish | black                             | white | sand | clay |
| price  | \$9                               |       |      |      |

small trim ring | color set




|        |                               |                  |
|--------|-------------------------------|------------------|
| sample | small trim ring unifit single |                  |
| finish | brushed steel                 | brushed brass    |
|        | brushed bronze                | brushed gunmetal |
| price  | \$69                          |                  |




lighting

acrojack mini | long




|                    |                  |                        |
|--------------------|------------------|------------------------|
| finish             | alu              | brass                  |
| colour temperature | 2700K            | 3000K                  |
| beam angle         | 10° 20° 40° 60°  |                        |
| output             | up to 1000 lumen |                        |
| other              | CRI 90+/97       | IP20                   |
| certification      | UL Listed        | Title 24 JA8 Compliant |
| price              | \$469 - \$689    |                        |

acrojack mini | short




|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 10° 20° 40° 60° |                        |
| output             | up to 750 lumen |                        |
| other              | CRI 90+/97      | IP20                   |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$469 - \$689   |                        |

acrotrack mini | long



|                    |                  |                        |
|--------------------|------------------|------------------------|
| finish             | alu              | brass                  |
| colour temperature | 2700K            | 3000K                  |
| beam angle         | 10° 20° 40° 60°  |                        |
| output             | up to 1000 lumen |                        |
| other              | CRI 90+/97       | IP20                   |
| certification      | UL Listed        | Title 24 JA8 Compliant |
| price              | \$469 - \$689    |                        |



acrotrack mini | short



|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 10° 20° 40° 60° |                        |
| output             | up to 750 lumen |                        |
| other              | CRI 90+/97      | IP20                   |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$469 - \$689   |                        |



lighting

acrobat mini | long





|                    |                  |                        |
|--------------------|------------------|------------------------|
| finish             | alu              | brass                  |
| colour temperature | 2700K            | 3000K                  |
| beam angle         | 10° 20° 40° 60°  |                        |
| output             | up to 1000 lumen |                        |
| other              | CRI 90+/97       | dry locations          |
| certification      | UL Listed        | Title 24 JA8 Compliant |
| price              | \$469 - \$689    |                        |

acrobat mini | short





|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 10° 20° 40° 60° |                        |
| output             | up to 750 lumen |                        |
| other              | CRI 90+/97      | dry locations          |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$469 - \$689   |                        |

acrobat mini trim | long



|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 10° 20° 40° 60° |                        |
| output             | up to 750 lumen |                        |
| other              | CRI 90+/97      | dry locations          |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$469 - \$689   |                        |



acrobat mini trim | short



|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 10° 20° 40° 60° |                        |
| output             | up to 750 lumen |                        |
| other              | CRI 90+/97      | dry locations          |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$469 - \$689   |                        |



lighting

trimless spot mini | long





|                    |                 |     |                        |     |
|--------------------|-----------------|-----|------------------------|-----|
| finish             | alu             |     | brass                  |     |
| colour temperature | 2700K           |     | 3000K                  |     |
| beam angle         | 10°             | 20° | 40°                    | 60° |
| output             | up to 750 lumen |     |                        |     |
| other              | CRI 90+/97      |     | damp locations         |     |
| certification      | UL Listed       |     | Title 24 JA8 Compliant |     |
| price              | \$289 - \$429   |     |                        |     |

trimless spot mini | short





|                    |                 |     |                        |     |
|--------------------|-----------------|-----|------------------------|-----|
| finish             | alu             |     | brass                  |     |
| colour temperature | 2700K           |     | 3000K                  |     |
| beam angle         | 10°             | 20° | 40°                    | 60° |
| output             | up to 750 lumen |     |                        |     |
| other              | CRI 90+/97      |     | damp locations         |     |
| certification      | UL Listed       |     | Title 24 JA8 Compliant |     |
| price              | \$289 - \$429   |     |                        |     |

trim spot mini | long



|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 40°             |                        |
| output             | up to 750 lumen |                        |
| other              | CRI 90+/97      | damp locations         |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$289 - \$429   |                        |



trim spot mini | short



|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 40°             |                        |
| output             | up to 550 lumen |                        |
| other              | CRI 90+/97      | damp locations         |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$289 - \$429   |                        |


lighting

trimless spot | long





|                    |                  |                        |
|--------------------|------------------|------------------------|
| finish             | alu              | brass                  |
| colour temperature | 2700K            | 3000K                  |
| beam angle         | 15° 25° 40° 60°  |                        |
| output             | up to 1055 lumen |                        |
| other              | CRI 90+/97       | damp locations         |
| certification      | UL Listed        | Title 24 JA8 Compliant |
| price              | \$289 - \$429    |                        |

trimless spot | short





|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 40° 60°         |                        |
| output             | up to 850 lumen |                        |
| other              | CRI 90+/97      | damp locations         |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$289 - \$429   |                        |

trim spot | long



|                    |                  |                        |
|--------------------|------------------|------------------------|
| finish             | alu              | brass                  |
| colour temperature | 2700K            | 3000K                  |
| beam angle         | 15° 25° 40° 60°  |                        |
| output             | up to 1055 lumen |                        |
| other              | CRI 90+/97       | damp locations         |
| certification      | UL Listed        | Title 24 JA8 Compliant |
| price              | \$289 - \$429    |                        |


trim spot | short



|                    |                 |                        |
|--------------------|-----------------|------------------------|
| finish             | alu             | brass                  |
| colour temperature | 2700K           | 3000K                  |
| beam angle         | 40° 60°         |                        |
| output             | up to 800 lumen |                        |
| other              | CRI 90+/97      | damp locations         |
| certification      | UL Listed       | Title 24 JA8 Compliant |
| price              | \$289 - \$429   |                        |



lighting

trimless spot adjustable





|                    |                 |     |                        |
|--------------------|-----------------|-----|------------------------|
| finish             | alu             |     | brass                  |
| colour temperature | 2700K           |     | 3000K                  |
| beam angle         | 20°             | 40° | 60°                    |
| output             | up to 750 lumen |     |                        |
| other              | CRI 90+/97      |     | dry locations          |
| certification      | UL Listed       |     | Title 24 JA8 Compliant |
| price              | \$369 - \$389   |     |                        |

trim spot adjustable





|                    |                 |     |                        |
|--------------------|-----------------|-----|------------------------|
| finish             | alu             |     | brass                  |
| colour temperature | 2700K           |     | 3000K                  |
| beam angle         | 20°             | 40° | 60°                    |
| output             | up to 750 lumen |     |                        |
| other              | CRI 90+/97      |     | dry locations          |
| certification      | UL Listed       |     | Title 24 JA8 Compliant |
| price              | \$369 - \$389   |     |                        |

acrobat surface mini | long



|                    |                  |     |                        |     |
|--------------------|------------------|-----|------------------------|-----|
| finish             | alu              |     | brass                  |     |
| colour temperature | 2700K            |     | 3000K                  |     |
| beam angle         | 10°              | 20° | 40°                    | 60° |
| output             | up to 1000 lumen |     |                        |     |
| other              | CRI 90+/97       |     | dry locations          |     |
| certification      | UL Listed        |     | Title 24 JA8 Compliant |     |
| price              | \$469 - \$689    |     |                        |     |


acrobat surface mini | short



|                    |                 |     |                        |     |
|--------------------|-----------------|-----|------------------------|-----|
| finish             | alu             |     | brass                  |     |
| colour temperature | 2700K           |     | 3000K                  |     |
| beam angle         | 10°             | 20° | 40°                    | 60° |
| output             | up to 750 lumen |     |                        |     |
| other              | CRI 90+/97      |     | dry locations          |     |
| certification      | UL Listed       |     | Title 24 JA8 Compliant |     |
| price              | \$469 - \$689   |     |                        |     |

lighting accessories

mud ring 2-1/4"



[specs](#)[installation](#)



2-2/3"

1.7"


1-1/10"

Ø2-1/4"


Ø4-3/4"

|          |                |
|----------|----------------|
| location | ceiling indoor |
| price    | \$29           |

adjustable mud ring 2-1/4"



[specs](#)[installation](#)



3"

Ø3"

1-1/2"

Ø2-1/4"

4-3/4"

|               |                                      |
|---------------|--------------------------------------|
| location      | ceiling indoor                       |
| adjustability | min. 1/7" (3.6mm) - max. 3/4" (20mm) |
| price         | \$39                                 |

clt csc ring 2-1/4"



[specs](#)[installation](#)



7/8"

Ø2-1/4"

|          |                         |
|----------|-------------------------|
| location | ceiling indoor          |
| cut-out  | see installation manual |
| price    | \$39                    |

mud ring 1-1/2"



[specs](#)[installation](#)



2-2/3"

1/7"

1-1/2"



Ø1-1/2"

Ø4-3/4"

|          |                |
|----------|----------------|
| location | ceiling indoor |
| price    | \$29           |


lighting accessories

adjustable mud ring 1-1/2"





|               |                                      |
|---------------|--------------------------------------|
| location      | ceiling indoor                       |
| adjustability | min. 1/7" (3.6mm) - max. 3/4" (20mm) |
| price         | \$39                                 |

clt csc ring 1-1/2"




|          |                |
|----------|----------------|
| location | ceiling indoor |
| price    | \$39           |

mud ring jack



|          |                                  |
|----------|----------------------------------|
| location | ceiling indoor - non-sloped only |
| price    | \$69                             |



clt ring jack



|          |                |
|----------|----------------|
| location | ceiling indoor |
| price    | \$69           |



pradovent

pradovent | 4-1/4"



|                |                                        |         |
|----------------|----------------------------------------|---------|
| type           | supply                                 | exhaust |
| air flow       | maximum 30 cfm (50m³/h)                |         |
| compatibility  | fits into every 5" duct                |         |
| lock mechanism | integrated                             |         |
| adjustment     | 32 steps                               |         |
| color          | white, paintable with synthetic primer |         |
| price          | \$89                                   |         |

pradovent mud ring | 4-1/4"



|               |                         |  |
|---------------|-------------------------|--|
| kit size      | 7-1/2"                  |  |
| cut-out size  | 5"                      |  |
| compatibility | fits into every 5" duct |  |
| location      | ceiling indoor          |  |
| weight        | 0.7 lbs                 |  |
| price         | \$39                    |  |