

prado

invisible home technology
prado.com

drawing name remodeling box 2.37x1.5x8





dimensions inches & mm

sheet size US letter

scale 1:4

© Prado America LLC

This drawing is property of prado america llc and can not be copied,
neither shown to third party without written permission.



prado

invisible home technology
prado.com

drawing name remodeling box 2.37x1.5x8

dimensions inches & mm

sheet size US letter

scale 1:4

© Prado America LLC

This drawing is property of prado america llc and can not be copied, neither shown to third party without written permission.

remodeling box 2.37x1.5x8

order number		specifications		
	product code	for remote installation		
remodeling box 2.37x1.5x8	9000-0104	UL listed		
compatible drivers				
drivers (for remote installation only)	product code	number of fixtures	UL listed	Title 24 JA8 compliant
SOLOdrive 0-10V 350mA 22W (1-2fx)	9000-1008	1-2	yes	yes
SOLOdrive 0-10V 500mA 22W (1-2fx)	9000-1002	1-2	yes	yes
SOLOdrive 0-10V 700mA 22W (1fx)	9000-1009	1	yes	yes
SOLOdrive DALI 350mA 22W (1-2fx)	9000-1006	1-2	yes	yes
SOLOdrive DALI 500mA 22W (1-2fx)	9000-1001	1-2	yes	yes
SOLOdrive DALI 700mA 22W (1fx)	9000-1007	1	yes	yes
Hatch phase dimming drive constant current 350mA - 12W (1fx)	9000-1003	1	yes	no
Hatch phase dimming drive constant current 500mA - 12W (1fx)	9000-1004	1	yes	no
Hatch phase dimming drive constant current 700mA - 14W (1fx)	9000-1005	1	yes	no
Hatch phase dimming drive constant current 350mA - 30W (2-3fx)	9000-1010	2-3	yes	no
Hatch phase dimming drive constant current 500mA - 30W (2-3fx)	9000-1011	2-3	yes	no
Hatch phase dimming drive constant current 700mA - 30W (1-2fx)	9000-1012	1-2	yes	no
Hatch phase dimming drive constant current 350mA - 22W	9000-1026	2-3	yes	no